



WIRE & CABLE TAGS

Brady's printable wire and cable tags provide you with the ability to create clear, unambiguous cable identification tags for both indoor and outdoor applications. Cable ID tags can be attached to a wire, cable, or bundle using cable ties or lacing cord.

With Brady's variety of cable tags, you can identify data centre wires, audio visual cables, power and ground cables, cable harnesses, and more. Brady's tag materials offer excellent tear, solvent and heat resistance.



See page 191 for nylon wire and cable ties.

B-109 POLYETHYLENE TAG MATERIAL

Color: White

Finish: Matt

White polyethylene tag material with matt finish. Excellent multi-purpose tag for identifying multi-conductor cables, inventory, safety warning repair and work-in-process manufacturing. Good weatherability, humidity resistance and legibility after solvent exposure.

Performance Attributes




Diagram	Order Reference	Material	Colour	Label Width A (mm)	Label Height B (mm)	Labels per Row	Labels per Package	Ribbon Series
	THT-33-109-0.5	Polyethylene Tag	White	76.20	152.40	1	500	R4300, R7950

B-412 POLYPROPYLENE TAG MATERIAL

Color: White

Finish: Matt

White polypropylene tag material with matt finish. Offers high print legibility and high tensile strength.

Performance Attributes




Diagram	Order Reference	Material	Colour	Label Width A (mm)	Label Height B (mm)	Labels per Row	Labels per Package	Ribbon Series
	THT-33-412-1	Polypropylene Tag	White	76.20	152.40	1	1000	R4300, R7950

Wire and Cable Materials



B-508 NOMEX® CABLE MARKER

Colour: White/Yellow

Finish: Matt

Thermal transfer and dot matrix printable wire and cable bundle tag for harsh environments. Excellent tear, heat and solvent resistance.

Performance Attributes





Diagram	Order Reference	Material	Colour	Label Width A (mm)	Label Height B (mm)	Vertical Repeat D (mm)	Web Width E (mm)	Labels per Row	Labels per Package	Ribbon Series
▽	HSNX-400-2-WT	Nomex® Tag	White	55.88	10.41	15.79	82.55	1	2500	R4300, R7950
▽	HSNX-400-2-YL	Nomex® Tag	Yellow	55.88	10.41	15.79	82.55	1	2500	R4300, R7950
▽	HSNX-800-2-WT	Nomex® Tag	White	55.88	20.32	25.70	82.55	1	2500	R4300, R7950
▽	HSNX-800-2-YL	Nomex® Tag	Yellow	55.88	20.32	25.70	82.55	1	2500	R4300, R7950



B-7597 POLYETHYLENE TAG MATERIAL

Colour: White

Finish: Matt

White polyethylene tag material. Resists tearing and the topcoat resists smudging and abrasion. Low halogen material.





Diagram	Order Reference	Material	Colour	Label Width A (mm)	Label Height B (mm)	Vertical Repeat D (mm)	Web Width E (mm)	Labels per Row	Labels per Package	Ribbon Series
▲	BPT-7597W-2050	Polyethylene Tag	White	50.80	12.70	16.72	60.80	1	2000	R4300, R7950
▲	BT-7597W-2050	Polyethylene Tag	White	50.80	12.70	16.72	60.80	1	4000	R4300, R7950



B-7598 POLYESTER CABLE TAG

Colour: Various

Finish: Gloss

The B-7598 polyester tag is a general identification tag for cables exposed to extreme conditions. It requires cable ties to apply to cables with various diameters. Common applications for this cable tag material are:

- Identification of multi-conductor cables
- Identification of cables in mobile phone towers
- Identification of datacom or telecom cables in general
- General cable identification that must be extremely resistant




Diagram	Order Reference	Material	Colour	Label Width A (mm)	Label Height B (mm)	Vertical Repeat D (mm)	Labels per Row	Labels per Package	Ribbon Series
≡	THT-6010-7598-WT	Polyester Tag	White	60.00	10.00	15.08	1	1000	R6000HF
≡	THT-6010-7598-YL	Polyester Tag	Yellow	60.00	10.00	15.08	1	1000	R6000HF
≡	THT-6010-7598-GN	Polyester Tag	Green	60.00	10.00	15.08	1	1000	R6000HF
≡	THT-6010-7598-RD	Polyester Tag	Red	60.00	10.00	15.08	1	1000	R6000HF
≡	THT-6010-7598-SV	Polyester Tag	Silver	60.00	10.00	15.08	1	1000	R6000HF
≡	THT-6010-7598-BK	Polyester Tag	Black	60.00	10.00	15.08	1	1000	R4400-WT
≡	THT-6010-7598-BL	Polyester Tag	Blue	60.00	10.00	15.08	1	1000	R6000HF
≡	THT-7510-7598-WT	Polyester Tag	White	75.00	10.00	15.08	1	1000	R6000HF
≡	THT-7510-7598-YL	Polyester Tag	Yellow	75.00	10.00	15.08	1	1000	R6000HF
≡	THT-7510-7598-GN	Polyester Tag	Green	75.00	10.00	15.08	1	1000	R6000HF
≡	THT-7510-7598-RD	Polyester Tag	Red	75.00	10.00	15.08	1	1000	R6000HF
≡	THT-7510-7598-SV	Polyester Tag	Silver	75.00	10.00	15.08	1	1000	R6000HF
≡	THT-7510-7598-BK	Polyester Tag	Black	75.00	10.00	15.08	1	1000	R4400-WT
≡	THT-7510-7598-BL	Polyester Tag	Blue	75.00	10.00	15.08	1	1000	R6000HF
≡	THT-7515-7598-WT	Polyester Tag	White	75.00	15.00	20.02	1	1000	R6000HF
≡	THT-7515-7598-YL	Polyester Tag	Yellow	75.00	15.00	20.02	1	1000	R6000HF
≡	THT-7515-7598-GN	Polyester Tag	Green	75.00	15.00	20.02	1	1000	R6000HF
≡	THT-7515-7598-RD	Polyester Tag	Red	75.00	15.00	20.02	1	1000	R6000HF
≡	THT-7515-7598-SV	Polyester Tag	Silver	75.00	15.00	20.02	1	1000	R6000HF

>>

View the Material Brands & Attributes Guide on pages 8-11, Benchtop Printer Ribbons on page 219, Full Material Properties on page 228.

B-7598 POLYESTER CABLE TAG (CONTINUED)

Diagram	Order Reference	Material	Colour	Label Width A (mm)	Label Height B (mm)	Vertical Repeat D (mm)	Labels per Row	Labels per Package	Ribbon Series
	THT-7515-7598-BK	Polyester Tag	Black	75.00	15.00	20.02	1	1000	R4400-WT
	THT-7515-7598-BL	Polyester Tag	Blue	75.00	15.00	20.02	1	1000	R6000HF
	THT-7525-7598-WT	Polyester Tag	White	75.00	25.00	30.16	1	500	R6000HF
	THT-7525-7598-YL	Polyester Tag	Yellow	75.00	25.00	30.16	1	500	R6000HF
	THT-7525-7598-GN	Polyester Tag	Green	75.00	25.00	30.16	1	500	R6000HF
	THT-7525-7598-RD	Polyester Tag	Red	75.00	25.00	30.16	1	500	R6000HF
	THT-7525-7598-SV	Polyester Tag	Silver	75.00	25.00	30.16	1	500	R6000HF
	THT-7525-7598-BK	Polyester Tag	Black	75.00	25.00	30.16	1	500	R4400-WT
	THT-7525-7598-BL	Polyester Tag	Blue	75.00	25.00	30.16	1	500	R6000HF
Following part numbers are mounted on a 25 mm diameter core and do not require the unwider (order ref. BBP12/BBP11-U) for use with the BBP11/BBP12 Printer.									
	BPT-6010-7598-WT	Polyester Tag	White	60.00	10.00	15.08	1	1000	R6000HF
	BPT-6010-7598-YL	Polyester Tag	Yellow	60.00	10.00	15.08	1	1000	R6000HF
	BPT-6010-7598-GN	Polyester Tag	Green	60.00	10.00	15.08	1	1000	R6000HF
	BPT-6010-7598-RD	Polyester Tag	Red	60.00	10.00	15.08	1	1000	R6000HF
	BPT-6010-7598-SV	Polyester Tag	Silver	60.00	10.00	15.08	1	1000	R6000HF
	BPT-6010-7598-BK	Polyester Tag	Black	60.00	10.00	15.08	1	1000	R4400-WT
	BPT-6010-7598-BL	Polyester Tag	Blue	60.00	10.00	15.08	1	1000	R6000HF
	BPT-7510-7598-WT	Polyester Tag	White	75.00	10.00	15.08	1	1000	R6000HF
	BPT-7510-7598-YL	Polyester Tag	Yellow	75.00	10.00	15.08	1	1000	R6000HF
	BPT-7510-7598-GN	Polyester Tag	Green	75.00	10.00	15.08	1	1000	R6000HF
	BPT-7510-7598-RD	Polyester Tag	Red	75.00	10.00	15.08	1	1000	R6000HF
	BPT-7510-7598-SV	Polyester Tag	Silver	75.00	10.00	15.08	1	1000	R6000HF
	BPT-7510-7598-BK	Polyester Tag	Black	75.00	10.00	15.08	1	1000	R4400-WT
	BPT-7510-7598-BL	Polyester Tag	Blue	75.00	10.00	15.08	1	1000	R6000HF
	BPT-7515-7598-WT	Polyester Tag	White	75.00	15.00	20.02	1	1000	R6000HF
	BPT-7515-7598-YL	Polyester Tag	Yellow	75.00	15.00	20.02	1	1000	R6000HF
	BPT-7515-7598-GN	Polyester Tag	Green	75.00	15.00	20.02	1	1000	R6000HF
	BPT-7515-7598-RD	Polyester Tag	Red	75.00	15.00	20.02	1	1000	R6000HF
	BPT-7515-7598-SV	Polyester Tag	Silver	75.00	15.00	20.02	1	1000	R6000HF
	BPT-7515-7598-BK	Polyester Tag	Black	75.00	15.00	20.02	1	1000	R4400-WT
	BPT-7515-7598-BL	Polyester Tag	Blue	75.00	15.00	20.02	1	1000	R6000HF
	BPT-7525-7598-WT	Polyester Tag	White	75.00	25.00	30.16	1	500	R6000HF
	BPT-7525-7598-YL	Polyester Tag	Yellow	75.00	25.00	30.16	1	500	R6000HF
	BPT-7525-7598-GN	Polyester Tag	Green	75.00	25.00	30.16	1	500	R6000HF
	BPT-7525-7598-RD	Polyester Tag	Red	75.00	25.00	30.16	1	500	R6000HF
	BPT-7525-7598-SV	Polyester Tag	Silver	75.00	25.00	30.16	1	500	R6000HF
	BPT-7525-7598-BK	Polyester Tag	Black	75.00	25.00	30.16	1	500	R4400-WT
	BPT-7525-7598-BL	Polyester Tag	Blue	75.00	25.00	30.16	1	500	R6000HF

B-7599 RAPIDO™ WIRE MARKERS

Colour: Yellow

Finish: Matt

Yellow coated polyethylene tag suitable for durable terminated wire marking for electrical devices and fibre installations.




Diagram	Order Reference	Material	Colour	Label Width A (mm)	Label Height B (mm)	Vertical Repeat D (mm)	Web Width E (mm)	Labels per Row	Labels per Package	Ribbon Series
	THT-01-7599-YL	Polyethylene Tag	Yellow	22.90	5.20	8.40	35.90	1	2500	R7950
	THT-02-7599-YL	Polyethylene Tag	Yellow	23.00	5.20	8.38	36.00	1	2500	R7950
	THT-03-7599-YL	Polyethylene Tag	Yellow	25.00	5.70	8.89	38.00	1	2500	R7950
	THT-04-7599_YL	Polyethylene Tag	Yellow	26.00	7.00	20.36	39.00	1	1500	R7950
	THT-05-7599-YL	Polyethylene Tag	Yellow	41.00	11.00	14.20	54.00	1	1500	R7950

View the Material Brands & Attributes Guide on pages 8-11. Benchtop Printer Ribbons on page 219. Full Material Properties on page 228.

Wire and Cable Materials




B-7643 HALOGEN-FREE CABLE TAG

Colour: Various

Finish: Matt

Thermal transfer and dot matrix printable wire and cable bundle tag in polyurethane for harsh environments. Low halogen material.



Performance Attributes



Diagram	Order Reference	Colour	Label Width A (mm)	Label Height B (mm)	Vertical Repeat D (mm)	Labels per Row	Labels per Roll	Printer Ribbon Series
	BPT-6010-7643-BK	Black	60.00	10.00	15.08	1	750	R4400-WT
	BPT-6010-7643-BL	Blue	60.00	10.00	15.08	1	750	R6000HF
	BPT-6010-7643-GN	Green	60.00	10.00	15.08	1	750	R6000HF
	BPT-6010-7643-OR	Orange	60.00	10.00	15.08	1	750	R6000HF
	BPT-6010-7643-RD	Red	60.00	10.00	15.08	1	750	R6000HF
	BPT-6010-7643-WT	White	60.00	10.00	15.08	1	750	R6000HF
	BPT-6010-7643-YL	Yellow	60.00	10.00	15.08	1	750	R6000HF
	BPT-7510-7643-BK	Black	75.00	10.00	15.08	1	750	R4400-WT
	BPT-7510-7643-BL	Blue	75.00	10.00	15.08	1	750	R6000HF
	BPT-7510-7643-GN	Green	75.00	10.00	15.08	1	750	R6000HF
	BPT-7510-7643-OR	Orange	75.00	10.00	15.08	1	750	R6000HF
	BPT-7510-7643-RD	Red	75.00	10.00	15.08	1	750	R6000HF
	BPT-7510-7643-WT	White	75.00	10.00	15.08	1	750	R6000HF
	BPT-7510-7643-YL	Yellow	75.00	10.00	15.08	1	750	R6000HF
	BPT-7515-7643-BK	Black	75.00	15.00	20.02	1	500	R4400-WT
	BPT-7515-7643-BL	Blue	75.00	15.00	20.02	1	500	R6000HF
	BPT-7515-7643-GN	Green	75.00	15.00	20.02	1	500	R6000HF
	BPT-7515-7643-OR	Orange	75.00	15.00	20.02	1	500	R6000HF
	BPT-7515-7643-RD	Red	75.00	15.00	20.02	1	500	R6000HF
	BPT-7515-7643-WT	White	75.00	15.00	20.02	1	500	R6000HF
	BPT-7515-7643-YL	Yellow	75.00	15.00	20.02	1	500	R6000HF
	BPT-7525-7643-BK	Black	75.00	25.00	30.16	1	250	R4400-WT
	BPT-7525-7643-BL	Blue	75.00	25.00	30.16	1	250	R6000HF
	BPT-7525-7643-GN	Green	75.00	25.00	30.16	1	250	R6000HF
	BPT-7525-7643-OR	Orange	75.00	25.00	30.16	1	250	R6000HF
	BPT-7525-7643-RD	Red	75.00	25.00	30.16	1	250	R6000HF
	BPT-7525-7643-WT	White	75.00	25.00	30.16	1	250	R6000HF
	BPT-7525-7643-YL	Yellow	75.00	25.00	30.16	1	250	R6000HF
	THT-6010-7643-BK	Black	60.00	10.00	15.08	1	750	R4400-WT
	THT-6010-7643-BL	Blue	60.00	10.00	15.08	1	750	R6000HF
	THT-6010-7643-GN	Green	60.00	10.00	15.08	1	750	R6000HF
	THT-6010-7643-OR	Orange	60.00	10.00	15.08	1	750	R6000HF
	THT-6010-7643-RD	Red	60.00	10.00	15.08	1	750	R6000HF
	THT-6010-7643-WT	White	60.00	10.00	15.08	1	750	R6000HF
	THT-6010-7643-YL	Yellow	60.00	10.00	15.08	1	750	R6000HF
	THT-7510-7643-BK	Black	75.00	10.00	15.08	1	750	R4400-WT
	THT-7510-7643-BL	Blue	75.00	10.00	15.08	1	750	R6000HF
	THT-7510-7643-GN	Green	75.00	10.00	15.08	1	750	R6000HF
	THT-7510-7643-OR	Orange	75.00	10.00	15.08	1	750	R6000HF
	THT-7510-7643-RD	Red	75.00	10.00	15.08	1	750	R6000HF
	THT-7510-7643-WT	White	75.00	10.00	15.08	1	750	R6000HF
	THT-7510-7643-YL	Yellow	75.00	10.00	15.08	1	750	R6000HF
	THT-7515-7643-BK	Black	75.00	15.00	20.02	1	500	R4400-WT
	THT-7515-7643-BL	Blue	75.00	15.00	20.02	1	500	R6000HF
	THT-7515-7643-GN	Green	75.00	15.00	20.02	1	500	R6000HF
	THT-7515-7643-OR	Orange	75.00	15.00	20.02	1	500	R6000HF
	THT-7515-7643-RD	Red	75.00	15.00	20.02	1	500	R6000HF
	THT-7515-7643-WT	White	75.00	15.00	20.02	1	500	R6000HF
	THT-7515-7643-YL	Yellow	75.00	15.00	20.02	1	500	R6000HF
	THT-7525-7643-BK	Black	75.00	25.00	30.16	1	250	R4400-WT
	THT-7525-7643-BL	Blue	75.00	25.00	30.16	1	250	R6000HF
	THT-7525-7643-GN	Green	75.00	25.00	30.16	1	250	R6000HF
	THT-7525-7643-OR	Orange	75.00	25.00	30.16	1	250	R6000HF
	THT-7525-7643-RD	Red	75.00	25.00	30.16	1	250	R6000HF
	THT-7525-7643-WT	White	75.00	25.00	30.16	1	250	R6000HF
	THT-7525-7643-YL	Yellow	75.00	25.00	30.16	1	250	R6000HF

View the Material Brands & Attributes Guide on pages 8-11. Benchtop Printer Ribbons on page 219. Full Material Properties on page 228.

CABLE TAG MATERIAL COMPARISON CHART

	B-109 Tag	B-412 Tag	B-508 Nomex® Cable Marker	B-7597 Tag	B-7599 Rapido Wire Markers	B-7643 Cable Tag	B-7644 Laminat Carriers	B-7598 Tag
Material	Polyethylene	Polypropylene	Polymer	Polyethylene	Polyethylene	Polyurethane	Polypropylene	Polyester
Abrasion resistance				✓	✓		✓	✓
Fuel/oil resistance	✓	✓	✓					✓
High heat resistance (100°C)			✓					✓
Low temperature resistance (< -40°C)	✓		✓			✓		✓
Solvent/Chemical resistance								✓
Outdoor use			✓				✓	✓
Tear resistance	✓	✓	✓	✓	✓			✓
Harsh environments			✓			✓	✓	✓
Different colours	2 White Yellow	1 White	3 White Yellow Green	2 White Yellow	2 White Yellow	7 White Yellow Red Green Blue Orange Black	1 Yellow	7 White Yellow Red Green Blue Silver Black
Halogen Free	✓	✓		✓	✓	✓	✓	✓ *White and black only






B-7644 LAMINAT™ CARRIERS

Colour: Yellow

Laminat™ Carriers come with a strip to laminate text labels. The carrier is to be fixed with two cable ties directly on the cables and wires. This dependable marking system enables you to permanently mark cables and wires.

The Laminat™ Carriers can be used for any type of cable identification where permanency of the legend is crucial.



1. Pull the protective film backwards.



2. Place the label in the middle leaving space for sealing on all four sides of the label.



3. Seal the carrier by placing a finger on the film and pushing forward, thus rolling over the film and rolling off the silicon liner.



4. Always feed the cable ties from the top, thus bending down the Laminat™ carrier along the cable.

Diagram	Order Reference	Material	Colour	Width A (mm)	Height B (mm)	Seal-up Area Width C (mm)	Seal-up Area Height D (mm)	Quantity / Package	Labels/Tapes Recommended
○	LC-65X13-B7644-0.1	Polypropylene Tag with Polyester Overlaminat	Yellow	65.00	13.00	45.00	9.00	100	TH TTL-5-430/6 mm
○	LC-71X9-B7644-0.1	Polypropylene Tag with Polyester Overlaminat	Yellow	71.00	9.00	45.00	9.00	100	TH TTL-5-430/6 mm
○	LC-103X15-B7644-0.1	Polypropylene Tag with Polyester Overlaminat	Yellow	103.00	15.00	55.00	15.00	100	TH TTL-6-430/6 mm
○	LC-128X15-B7644-0.1	Polypropylene Tag with Polyester Overlaminat	Yellow	128.00	15.00	80.00	15.00	100	TH TTL-1-430/9 mm
○	LC-178X15-B7644-0.05	Polypropylene Tag with Polyester Overlaminat	Yellow	178.00	15.00	130.00	15.00	50	TH TTL-2-430/9 mm



B-7645 LAMINAT™ TAGS

Colour: Yellow

The Laminat™ Tags (Manilla tags) are ideal for identification of material in tough environments including valves, instruments, motors and other industrial components.




Diagram	Order Reference	Material	Colour	Width A (mm)	Height B (mm)	Seal-up Area Width C (mm)	Seal-up Area Height D (mm)	Quantity / Package	Labels/Tapes Recommended
▼	LT-59X25-B7645-0.05	Polypropylene Tag with Polyester Overlaminat	Yellow	59.00	25.00	43.00	25.00	50	TH TTL-4-430/9,12, 19 mm
▼	LT-59X25-B7645-WR-0.05	Polypropylene Tag with Polyester Overlaminat	Yellow	59.00	25.00	43.00	25.00	50	TH TTL-4-430/9,12, 19 mm
▼	LT-105X60-B7645-WR-0.05	Polypropylene Tag with Polyester Overlaminat	Yellow	116.00	60.00	100.00	60.00	50	TH T-19-430-1/TH T-21-430
▼	LT-150X25-B7645-0.05	Polypropylene Tag with Polyester Overlaminat	Yellow	150.00	25.00	135.00	25.00	50	TH TTL-3-430/9,12, 19 mm
▼	LT-150X25-B7645-WR-0.05	Polypropylene Tag with Polyester Overlaminat	Yellow	150.00	25.00	135.00	25.00	50	TH TTL-3-430/9,12, 19 mm



B-430 LABELS FOR LAMINAT™ CARRIERS AND TAGS

Colour: Clear

Finish: Gloss

Clear Polyester labels specifically designed to fit the Laminat™ Carriers and Tags.

Performance Attributes






Diagram	Order Reference	Material	Colour	Label Width A (mm)	Label Height B (mm)	Horizontal Repeat C (mm)	Vertical Repeat D (mm)	Web Width E (mm)	Labels per Row	Labels per Package	Ribbon Series
●	TH TTL-1-430	Polyester	Clear	11.00	74.00	14.00	76.99	79.00	5	5000	R6000HF
●	TH TTL-2-430	Polyester	Clear	11.00	124.00	14.00	127.00	79.00	5	5000	R6000HF
●	TH TTL-3-430	Polyester	Clear	21.00	129.00	24.00	133.35	81.00	3	3000	R6000HF
●	TH TTL-4-430	Polyester	Clear	37.00	21.00	40.00	24.25	89.00	2	2000	R6000HF
▲	TH TTL-5-430	Polyester	Clear	39.00	5.00	—	7.94	51.00	1	1000	R6000HF
▲	TH TTL-6-430	Polyester	Clear	49.00	11.00	—	14.11	61.00	1	1000	R6000HF

View the Material Brands & Attributes Guide on pages 8-11. Benchtop Printer Ribbons on page 219. Full Material Properties on page 228.

COLOURED NYLON WIRE AND CABLE TIES

Perfect for colour coded applications.




Black

Order Ref.	Colour	Width (mm)	Height (mm)	Quantity
NYTIE-2.2x75-BK	Black	2.20	75.00	100
NYTIE-2.5x98-BK	Black	2.50	98.00	100
NYTIE-2.5x135-BK	Black	2.50	135.00	100
NYTIE-2.6x160-BK	Black	2.60	160.00	100
NYTIE-2.6x200-BK	Black	2.60	200.00	100
NYTIE-3.5x140-BK	Black	3.50	140.00	100
NYTIE-3.5x200-BK	Black	3.50	200.00	100
NYTIE-3.5x290-BK	Black	3.50	290.00	100
NYTIE-3.5x370-BK	Black	3.50	370.00	100
NYTIE-4.5x120-BK	Black	4.50	120.00	100
NYTIE-4.5x160-BK	Black	4.50	160.00	100
NYTIE-4.5x200-BK	Black	4.50	200.00	100
NYTIE-4.5x290-BK	Black	4.50	290.00	100
NYTIE-4.5x360-BK	Black	4.50	360.00	100
NYTIE-4.5x430-BK	Black	4.50	430.00	100
NYTIE-4.8x178-BK	Black	4.80	178.00	100
NYTIE-4.8x250-BK	Black	4.80	250.00	100
NYTIE-4.8x390-BK	Black	4.80	390.00	100
NYTIE-7.5x365-BK	Black	7.50	365.00	100
NYTIE-7.5x450-BK	Black	7.50	450.00	100
NYTIE-7.5x540-BK	Black	7.50	540.00	100
NYTIE-7.5x750-BK	Black	7.50	750.00	100
NYTIE-7.8x240-BK	Black	7.80	240.00	100
NYTIE-7.8x300-BK	Black	7.80	300.00	100
NYTIE-9x780-BK	Black	9.00	780.00	100
NYTIE-12.5x500-BK	Black	12.50	500.00	50
NYTIE-12.5x720-BK	Black	12.50	720.00	50
NYTIE-12.5x850-BK	Black	12.50	850.00	50

Natural

Order Ref.	Colour	Width (mm)	Height (mm)	Quantity
NYTIE-2.5x98-NT	Natural	2.50	98.00	100
NYTIE-2.5x135-NT	Natural	2.50	135.00	100
NYTIE-2.6x160-NT	Natural	2.60	160.00	100
NYTIE-2.6x200-NT	Natural	2.60	200.00	100
NYTIE-3.5x140-NT	Natural	3.50	140.00	100
NYTIE-3.5x200-NT	Natural	3.50	200.00	100
NYTIE-3.5x290-NT	Natural	3.50	290.00	100
NYTIE-3.5x370-NT	Natural	3.50	370.00	100
NYTIE-4.5x160-NT	Natural	4.50	160.00	100
NYTIE-4.5x290-NT	Natural	4.50	290.00	100
NYTIE-4.5x360-NT	Natural	4.50	360.00	100
NYTIE-4.5x430-NT	Natural	4.50	430.00	100
NYTIE-4.8x178-NT	Natural	4.80	178.00	100
NYTIE-4.8x200-NT	Natural	4.80	200.00	100
NYTIE-4.8x250-NT	Natural	4.80	250.00	100
NYTIE-4.8x390-NT	Natural	4.80	390.00	100
NYTIE-7.5x365-NT	Natural	7.50	365.00	100
NYTIE-7.5x450-NT	Natural	7.50	450.00	100
NYTIE-7.5x540-NT	Natural	7.50	540.00	100
NYTIE-7.5x750-NT	Natural	7.50	750.00	100
NYTIE-7.8x240-NT	Natural	7.80	240.00	100
NYTIE-7.8x300-NT	Natural	7.80	300.00	100
NYTIE-9x780-NT	Natural	9.00	780.00	100
NYTIE-12.5x500-NT	Natural	12.50	500.00	50
NYTIE-12.5x720-NT	Natural	12.50	720.00	50
NYTIE-12.5x850-NT	Natural	12.50	850.00	50
NYTIE-12.5x1000-NT	Natural	12.50	1000.00	50



Blue

Order Ref.	Colour	Width (mm)	Height (mm)	Quantity
NYTIE-2.5x98-BL	Blue	2.50	98.00	100
NYTIE-3.6x140-BL	Blue	3.60	140.00	100
NYTIE-3.6x200-BL	Blue	3.60	200.00	100
NYTIE-4.8x200-BL	Blue	4.80	200.00	100
NYTIE-4.8x290-BL	Blue	4.80	290.00	100

Red

Order Ref.	Colour	Width (mm)	Height (mm)	Quantity
NYTIE-2.5x98-RD	Red	2.50	98.00	100
NYTIE-3.6x140-RD	Red	3.60	140.00	100
NYTIE-3.6x200-RD	Red	3.60	200.00	100
NYTIE-4.8x200-RD	Red	4.80	200.00	100
NYTIE-4.8x290-RD	Red	4.80	290.00	100

Green

Order Ref.	Colour	Width (mm)	Height (mm)	Quantity
NYTIE-2.5x98-GN	Green	2.50	98.00	100
NYTIE-3.6x140-GN	Green	3.60	140.00	100
NYTIE-3.6x200-GN	Green	3.60	200.00	100
NYTIE-4.8x200-GN	Green	4.80	200.00	100
NYTIE-4.8x290-GN	Green	4.80	290.00	100

Yellow

Order Ref.	Colour	Width (mm)	Height (mm)	Quantity
NYTIE-2.5x98-YL	Yellow	2.50	98.00	100
NYTIE-3.5x200-YL	Yellow	3.50	200.00	100
NYTIE-3.6x140-YL	Yellow	3.60	140.00	100
NYTIE-4.8x200-YL	Yellow	4.80	200.00	100
NYTIE-4.8x290-YL	Yellow	4.80	290.00	100



Nylon wire and cable ties can be used with a large variety of Brady cable tags.



STAINLESS STEEL WIRE AND CABLE TIES AND TAGS

Stainless steel tags and ties provide the highest performance option available for identifying cables and wires in the harshest environments. This durable material can withstand heat, UV, humidity and salt fog. In addition, it offers excellent resistance to oil and harsh chemicals such as skydrol, motor oil and gasoline.

Stainless Steel Tags

Stainless steel cable tags are made out of stainless steel 316 and are resistant to aggressive environments and temperatures up to 920°C.

- Can be laser engraved or embossed with any standard text, including serialisation
- Available in various widths and heights
- Available in blank stock, or factory-customised versions

Stainless Steel Ties

Extremely durable cable ties are available in grade 316 for almost any aggressive environment.

STAINLESS STEEL TAGS




Diagram	Order Reference	Width (mm)	Height (mm)	Printable Area Width (mm)	Quantity / Package
Blank Stainless Steel Cable Tag - Stainless Steel Grade 316					
▽	SSTAG-7010-7316	70.00	10.00	50.00	100
▽	SSTAG-7013-7316	70.00	13.00	50.00	100
▽	SSTAG-9010-7316	90.00	10.00	70.00	100
▽	SSTAG-9013-7316	90.00	13.00	70.00	100
▽	SSTAG-11010-7316	110.00	10.00	80.00	100
▽	SSTAG-11013-7316	110.00	13.00	80.00	100

Customs available on request

STAINLESS STEEL TIES



Order Reference	Width (mm)	Height (mm)	Quantity / Package
Stainless Steel Cable Tie - Stainless Steel Grade 316			
SSTIE-127-7316	4.60	130.00	100
SSTIE-201-7316	4.60	201.00	100
SSTIE-300-7316	4.60	300.00	100
SSTIE-370-7316	4.60	370.00	100
SSTIE-520-7316	4.60	520.00	100
SSTIE-150-7316-HD	7.90	150.00	100
SSTIE-201-7316-HD	7.90	201.00	100
SSTIE-300-7316-HD	7.90	300.00	100
SSTIE-370-7316-HD	7.90	370.00	100
SSTIE-520-7316-HD	7.90	520.00	100
SSTIE-840-7316-HD	7.90	840.00	100
Stainless Steel Coated Cable Tie - Stainless Steel Grade 316			
SSTIEC-201-7316	4.60	201.00	100
SSTIEC-370-7316	4.60	370.00	100
SSTIEC-201-7316-HD	7.90	201.00	100
SSTIEC-362-7316-HD	7.90	362.00	100
SSTIEC-520-7316-HD	7.90	520.00	100

Suffix HD refers to ties 7,9mm wide.

CABLE TIE TOOLS



Order Reference	Description	Quantity / Package
JV-4580	Heavy Duty Cable Tie Tool	1
JV-4580MG	Stainless Steel Tool	1